




Product Service

# CERTIFICATE

No. Z2 118771 0013 Rev. 01

**Holder of Certificate:** **Zhejiang Sunpro Power Technology co., Ltd**  
Qinggang Technological Ind.Zone  
317606 Yuhuan, Zhejiang Province  
PEOPLE'S REPUBLIC OF CHINA

**Certification Mark:**



**Product:** **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**  
**Mono-Crystalline Silicon Photovoltaic Module**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 704062123506-03

**Valid until:** 2029-07-24

**Date,** 2024-07-31

( Zhulin Zhang )

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFIKAT ◆ CERTIFICATE

# CERTIFICATE

No. Z2 118771 0013 Rev. 01

## Model(s):

SPDGxxx-144M10, SPDGxxxA-144M10, xxx=520-565, in steps of 5  
 SPDGxxx-132M10, SPDGxxxA-132M10, xxx=480-515, in steps of 5  
 SPDGxxx-120M10, SPDGxxxA-120M10, xxx=435-470, in steps of 5  
 SPDGxxx-108M10, SPDGxxxA-108M10, xxx=390-420, in steps of 5  
 SPDGxxx-N156M10, SPDGxxxA-N156M10, xxx=595-640, in steps of 5  
 SPDGxxx-N144M10, SPDGxxxA-N144M10, xxx=545-590, in steps of 5  
 SPDGxxx-N132M10, SPDGxxxA-N132M10, xxx=510-540, in steps of 5  
 SPDGxxx-N120M10, SPDGxxxA-N120M10, xxx=455-490, in steps of 5  
 SPDGxxx-N108M10, SPDGxxxA-N108M10, xxx=410-440, in steps of 5  
 SPDGxxx-132M12, SPDGxxxA-132M12, xxx=635-675, in steps of 5  
 SPDGxxx-120M12, SPDGxxxA-120M12, xxx=580-610, in steps of 5  
 SPDGxxx-110M12, SPDGxxxA-110M12, xxx=530-560, in steps of 5  
 SPDGxxx-N132M12, SPDGxxxA-N132M12, xxx=670-710, in steps of 5  
 SPDGxxx-N120M12, SPDGxxxA-N120M12, xxx=610-645, in steps of 5  
 SPDGxxx-N110M12, SPDGxxxA-N110M12, xxx= 560-590, in steps of 5  
 SPDGxxx-144M, SPDGxxxA-144M, xxx=410-460, in steps of 5  
 SPDGxxx-120M, SPDGxxxA-120M, xxx=340-385, in steps of 5  
 SPDGxxx-N156R10, SPDGxxxA-N156R10, xxx=610-645, in steps of 5  
 SPDGxxx-N144R10, SPDGxxxA-N144R10, xxx=565-595, in steps of 5  
 SPDGxxx-N132R10, SPDGxxxA-N132R10, xxx=520-545, in steps of 5  
 SPDGxxx-N120R10, SPDGxxxA-N120R10, xxx=470-500, in steps of 5  
 SPDGxxx-N108R10, SPDGxxxA-N108R10, xxx=420-450, in steps of 5  
 SPDGxxx-N144RL10, SPDGxxxA-N144RL10, xxx=575-610, in steps of 5  
 SPDGxxx-N132RL10, SPDGxxxA-N132RL10, xxx=530-560, in steps of 5  
 SPDGxxx-N120RL10, SPDGxxxA-N120RL10, xxx=480-510, in steps of 5  
 SPDGxxx-N108RL10, SPDGxxxA-N108RL10, xxx=430-460, in steps of 5  
 SPDGxxx-N144RX10, SPDGxxxA-N144RX10, xxx=600-640, in steps of 5  
 SPDGxxx-N132RX10, SPDGxxxA-N132RX10, xxx=550-590, in steps of 5  
 SPDGxxx-N132R12, SPDGxxxA-N132R12, xxx=575-620, in steps of 5  
 SPDGxxx-N120R12, SPDGxxxA-N120R12, xxx=525-565, in steps of 5  
 SPDGxxx-N108R12, SPDGxxxA-N108R12, xxx=470-505, in steps of 5  
 SPDGxxx-N96R12, SPDGxxxA-N96R12, xxx=420-450, in steps of 5  
 xxx is standing for rated output power at STC

## Parameters:

Construction:	Framed, double glass with Junction box, Cable and Connectors.
Safety Class:	Class II
Maximum System Voltage:	1500 V DC
Fire Safety Class:	Class A or Class C according to UL790
PID test condition:	± 1500 V DC, 85 °C, 85 % RH, 96h
PID testing method is according to IEC TS 62804-1:2015.	

## Tested according to:

IEC 61215-1:2021  
 IEC 61215-1-1:2021  
 IEC 61215-2:2021  
 IEC 61730-1:2023  
 IEC 61730-2:2023  
 PPP 58042B:2015



Product Service

# CERTIFICATE

No. Z2 118771 0036 Rev. 00

**Holder of Certificate:** Zhejiang Sunpro Power  
Technology co., Ltd  
Qinggang Technological Ind.Zone  
317606 Yuhuan, Zhejiang Province  
PEOPLE'S REPUBLIC OF CHINA

**Certification Mark:**



**Product:** Crystalline Silicon Terrestrial Photovoltaic (PV) Modules  
Mono-Crystalline Silicon Photovoltaic Module

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 704062309506-04

**Valid until:** 2031-01-03

**Date,** 2026-01-20

( Zhulin Zhang )

# CERTIFICATE

No. Z2 118771 0036 Rev. 00

## Model(s):

SPDGxxx-144M10, SPDGxxxA-144M10, xxx=520-565, in steps of 5  
 SPDGxxx-132M10, SPDGxxxA-132M10, xxx=480-515, in steps of 5  
 SPDGxxx-120M10, SPDGxxxA-120M10, xxx=435-470, in steps of 5  
 SPDGxxx-108M10, SPDGxxxA-108M10, xxx=390-420, in steps of 5  
 SPDGxxx-N156M10, SPDGxxxA-N156M10, xxx=595-655, in steps of 5  
 SPDGxxx-N144M10, SPDGxxxA-N144M10, xxx=545-605, in steps of 5  
 SPDGxxx-N132M10, SPDGxxxA-N132M10, xxx=510-555, in steps of 5  
 SPDGxxx-N120M10, SPDGxxxA-N120M10, xxx=455-505, in steps of 5  
 SPDGxxx-N108M10, SPDGxxxA-N108M10, xxx=410-455, in steps of 5  
 SPDGxxx-132M12, SPDGxxxA-132M12, xxx=635-675, in steps of 5  
 SPDGxxx-120M12, SPDGxxxA-120M12, xxx=580-610, in steps of 5  
 SPDGxxx-110M12, SPDGxxxA-110M12, xxx=530-560, in steps of 5  
 SPDGxxx-N132M12, SPDGxxxA-N132M12, xxx=670-725, in steps of 5  
 SPDGxxx-N120M12, SPDGxxxA-N120M12, xxx=610-660, in steps of 5  
 SPDGxxx-N110M12, SPDGxxxA-N110M12, xxx= 560-605, in steps of 5  
 SPDGxxx-144M, SPDGxxxA-144M, xxx=410-460, in steps of 5  
 SPDGxxx-120M, SPDGxxxA-120M, xxx=340-385, in steps of 5  
 SPDGxxx-N156R10, SPDGxxxA-N156R10, xxx=610-645, in steps of 5  
 SPDGxxx-N144R10, SPDGxxxA-N144R10, xxx=565-595, in steps of 5  
 SPDGxxx-N132R10, SPDGxxxA-N132R10, xxx=520-545, in steps of 5  
 SPDGxxx-N120R10, SPDGxxxA-N120R10, xxx=470-500, in steps of 5  
 SPDGxxx-N108R10, SPDGxxxA-N108R10, xxx=420-450, in steps of 5  
 SPDGxxx-N144RL10, SPDGxxxA-N144RL10, xxx=575-610, in steps of 5  
 SPDGxxx-N132RL10, SPDGxxxA-N132RL10, xxx=530-560, in steps of 5  
 SPDGxxx-N120RL10, SPDGxxxA-N120RL10, xxx=480-510, in steps of 5  
 SPDGxxx-N108RL10, SPDGxxxA-N108RL10, xxx=430-460, in steps of 5  
 SPDGxxx-N144RX10, SPDGxxxA-N144RX10, xxx=600-640, in steps of 5  
 SPDGxxx-N132RX10, SPDGxxxA-N132RX10, xxx=550-590, in steps of 5  
 SPDGxxx-N132R12, SPDGxxxA-N132R12, xxx=575-650, in steps of 5  
 SPDGxxx-N120R12, SPDGxxxA-N120R12, xxx=525-590, in steps of 5  
 SPDGxxx-N108R12, SPDGxxxA-N108R12, xxx=470-535, in steps of 5  
 SPDGxxx-N96R12, SPDGxxxA-N96R12, xxx=420-475, in steps of 5  
 SPDGxxx-N60M10, xxx=140-155, in steps of 5  
 SPDGxxx-N54M10, xxx=125-140, in steps of 5  
 SPDGxxx-N48M10, xxx=110-125, in steps of 5  
 SPDGxxx-N42M10, xxx=100-110, in steps of 5  
 SPDGxxx-N36M10, xxx=85-90, in steps of 5  
 xxx is standing for rated output power at STC

## Brand Name:

Sunpro Power



## Parameters:

Construction:	Framed, double glass with Junction box, Cable and Connectors.
Safety Class:	Class II
Maximum System Voltage:	1500 V DC
Fire Safety Class:	Class A or Class C according to UL790



# CERTIFICATE

No. Z2 118771 0036 Rev. 00

**Tested  
according to:**

IEC 61215-1:2021  
IEC 61215-1-1:2021  
IEC 61215-2:2021  
IEC 61730-1:2023  
IEC 61730-2:2023




Product Service

# CERTIFICATE

No. Z2 118771 0014 Rev. 01

**Holder of Certificate:** **Zhejiang Sunpro Power Technology co., Ltd**  
Qinggang Technological Ind.Zone  
317606 Yuhuan, Zhejiang Province  
PEOPLE'S REPUBLIC OF CHINA

**Certification Mark:**



**Product:** **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**  
**Mono-Crystalline Silicon Photovoltaic Module**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 704062123508-03

**Valid until:** 2029-07-24

**Date,** 2024-07-31

  
( Zhulin Zhang )

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFIKAT ◆ CERTIFICATE

# CERTIFICATE

No. Z2 118771 0014 Rev. 01

## Model(s):

SPDGxxx-144M10, SPDGxxxA-144M10, xxx=520-565, in steps of 5  
 SPDGxxx-132M10, SPDGxxxA-132M10, xxx=480-515, in steps of 5  
 SPDGxxx-120M10, SPDGxxxA-120M10, xxx=435-470, in steps of 5  
 SPDGxxx-108M10, SPDGxxxA-108M10, xxx=390-420, in steps of 5  
 SPDGxxx-N156M10, SPDGxxxA-N156M10, xxx=595-640, in steps of 5  
 SPDGxxx-N144M10, SPDGxxxA-N144M10, xxx=545-590, in steps of 5  
 SPDGxxx-N132M10, SPDGxxxA-N132M10, xxx=510-540, in steps of 5  
 SPDGxxx-N120M10, SPDGxxxA-N120M10, xxx=455-490, in steps of 5  
 SPDGxxx-N108M10, SPDGxxxA-N108M10, xxx=410-440, in steps of 5  
 SPDGxxx-132M12, SPDGxxxA-132M12, xxx=635-675, in steps of 5  
 SPDGxxx-120M12, SPDGxxxA-120M12, xxx=580-610, in steps of 5  
 SPDGxxx-110M12, SPDGxxxA-110M12, xxx=530-560, in steps of 5  
 SPDGxxx-N132M12, SPDGxxxA-N132M12, xxx=670-710, in steps of 5  
 SPDGxxx-N120M12, SPDGxxxA-N120M12, xxx=610-645, in steps of 5  
 SPDGxxx-N110M12, SPDGxxxA-N110M12, xxx= 560-590, in steps of 5  
 SPDGxxx-144M, SPDGxxxA-144M, xxx=410-460, in steps of 5  
 SPDGxxx-120M, SPDGxxxA-120M, xxx=340-385, in steps of 5  
 SPDGxxx-N156R10, SPDGxxxA-N156R10, xxx=610-645, in steps of 5  
 SPDGxxx-N144R10, SPDGxxxA-N144R10, xxx=565-595, in steps of 5  
 SPDGxxx-N132R10, SPDGxxxA-N132R10, xxx=520-545, in steps of 5  
 SPDGxxx-N120R10, SPDGxxxA-N120R10, xxx=470-500, in steps of 5  
 SPDGxxx-N108R10, SPDGxxxA-N108R10, xxx=420-450, in steps of 5  
 SPDGxxx-N144RL10, SPDGxxxA-N144RL10, xxx=575-610, in steps of 5  
 SPDGxxx-N132RL10, SPDGxxxA-N132RL10, xxx=530-560, in steps of 5  
 SPDGxxx-N120RL10, SPDGxxxA-N120RL10, xxx=480-510, in steps of 5  
 SPDGxxx-N108RL10, SPDGxxxA-N108RL10, xxx=430-460, in steps of 5  
 SPDGxxx-N144RX10, SPDGxxxA-N144RX10, xxx=600-640, in steps of 5  
 SPDGxxx-N132RX10, SPDGxxxA-N132RX10, xxx=550-590, in steps of 5  
 SPDGxxx-N132R12, SPDGxxxA-N132R12, xxx=575-620, in steps of 5  
 SPDGxxx-N120R12, SPDGxxxA-N120R12, xxx=525-565, in steps of 5  
 SPDGxxx-N108R12, SPDGxxxA-N108R12, xxx=470-505, in steps of 5  
 SPDGxxx-N96R12, SPDGxxxA-N96R12, xxx=420-450, in steps of 5  
 xxx is standing for rated output power at STC

## Parameters:

Construction:	Framed, double glass with Junction box, Cable and Connectors.
Safety Class:	Class II
Maximum System Voltage:	1500 V DC
Fire Safety Class:	Class A or Class C according to UL790

## Tested according to:

IEC 61215-1:2021  
 IEC 61215-1-1:2021  
 IEC 61215-2:2021  
 IEC 61730-1:2023  
 IEC 61730-2:2023  
 IEC 62716:2013



Product Service

# Attestation of Conformity

No. N8A 118771 0004 Rev. 05

**Holder of Attestation:** **Zhejiang Sunpro Power  
Technology co., Ltd**

Qinggang Technological Ind.Zone  
317606 Yuhuan, Zhejiang Province  
PEOPLE'S REPUBLIC OF CHINA

**Product:** **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules  
Mono-Crystalline Silicon Photovoltaic Module**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 704062123505-07

**Date,** 2026-01-05

( Zhulin Zhang )

Page 1 of 2

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

# Attestation of Conformity

No. N8A 118771 0004 Rev. 05

## Model(s):

SPDGxxx-144M10, SPDGxxxA-144M10, xxx=520 to 565, in steps of 5,  
 SPDGxxx-132M10, SPDGxxxA-132M10, xxx=480 to 515, in steps of 5,  
 SPDGxxx-120M10, SPDGxxxA-120M10, xxx=435 to 470, in steps of 5,  
 SPDGxxx-108M10, SPDGxxxA-108M10, xxx=390 to 420, in steps of 5,  
 SPDGxxx-132M12, xxx=635 to 670, in steps of 5,  
 SPDGxxx-120M12, xxx=580 to 605, in steps of 5,  
 SPDGxxx-110M12, xxx=530 to 555, in steps of 5,  
 SPDGxxx-144M, xxx=410 to 460, in steps of 5,  
 SPDGxxx-120M, xxx=340 to 385, in steps of 5,  
 SPDGxxx-N156M10, SPDGxxxA-N156M10, xxx=595 to 655, in steps of 5,  
 SPDGxxx-N144M10, SPDGxxxA-N144M10, xxx=545 to 605, in steps of 5,  
 SPDGxxx-N132M10, SPDGxxxA-N132M10, xxx=510 to 555, in steps of 5,  
 SPDGxxx-N120M10, SPDGxxxA-N120M10, xxx=455 to 505, in steps of 5,  
 SPDGxxx-N108M10, SPDGxxxA-N108M10, xxx=410 to 455, in steps of 5,  
 SPDGxxx-N132M12, SPDGxxxA-N132M12, xxx=670 to 710, in steps of 5,  
 SPDGxxx-N120M12, SPDGxxxA-N120M12, xxx=610 to 645, in steps of 5,  
 SPDGxxx-N110M12, SPDGxxxA-N110M12, xxx=560 to 590, in steps of 5,  
 SPDGxxx-N132R12, SPDGxxxA-N132R12, xxx=575 to 650, in steps of 5,  
 SPDGxxx-N120R12, SPDGxxxA-N120R12, xxx=525 to 590, in steps of 5,  
 SPDGxxx-N108R12, SPDGxxxA-N108R12, xxx=470 to 535, in steps of 5,  
 SPDGxxx-N96R12, SPDGxxxA-N96R12, xxx=420 to 475, in steps of 5,  
 xxx is standing for rated output power at STC

## Parameters:

Construction:	Framed, double glass with Junction box, Cable and Connectors.
Safety Class:	Class II
Maximum System Voltage:	1500 V DC
Fire Safety Class:	Class A or Class C according to UL790

## Tested according to:

EN IEC 61730-1:2018  
 EN IEC 61730-1:2018/AC:2018-06  
 EN IEC 61730-2:2018  
 EN IEC 61730-2:2018/AC:2018-06

Page 2 of 2

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

# Attestation of Conformity

No. N8A 118771 0022 Rev. 02

**Holder of Attestation:** **Zhejiang Sunpro Power  
Technology co., Ltd**  
Qinggang Technological Ind.Zone  
317606 Yuhuan, Zhejiang Province  
PEOPLE'S REPUBLIC OF CHINA

**Product:** **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules  
Mono-Crystalline Silicon Photovoltaic Module**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 704062309506-02

**Date,** 2025-03-06

( Zhulin Zhang )

Page 1 of 2

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

# Attestation of Conformity

No. N8A 118771 0022 Rev. 02

## Model(s):

SPDGxxx-144M10, SPDGxxxA-144M10, xxx=520-565, in steps of 5  
 SPDGxxx-132M10, SPDGxxxA-132M10, xxx=480-515, in steps of 5  
 SPDGxxx-120M10, SPDGxxxA-120M10, xxx=435-470, in steps of 5  
 SPDGxxx-108M10, SPDGxxxA-108M10, xxx=390-420, in steps of 5  
 SPDGxxx-N156M10, SPDGxxxA-N156M10, xxx=595-645, in steps of 5  
 SPDGxxx-N144M10, SPDGxxxA-N144M10, xxx=545-595, in steps of 5  
 SPDGxxx-N132M10, SPDGxxxA-N132M10, xxx=510-545, in steps of 5  
 SPDGxxx-N120M10, SPDGxxxA-N120M10, xxx=455-495, in steps of 5  
 SPDGxxx-N108M10, SPDGxxxA-N108M10, xxx=410-445, in steps of 5  
 SPDGxxx-132M12, SPDGxxxA-132M12, xxx=635-675, in steps of 5  
 SPDGxxx-120M12, SPDGxxxA-120M12, xxx=580-610, in steps of 5  
 SPDGxxx-110M12, SPDGxxxA-110M12, xxx=530-560, in steps of 5  
 SPDGxxx-N132M12, SPDGxxxA-N132M12, xxx=670-725, in steps of 5  
 SPDGxxx-N120M12, SPDGxxxA-N120M12, xxx=610-660, in steps of 5  
 SPDGxxx-N110M12, SPDGxxxA-N110M12, xxx= 560-605, in steps of 5  
 SPDGxxx-144M, SPDGxxxA-144M, xxx=410-460, in steps of 5  
 SPDGxxx-120M, SPDGxxxA-120M, xxx=340-385, in steps of 5  
 SPDGxxx-N156R10, SPDGxxxA-N156R10, xxx=610-645, in steps of 5  
 SPDGxxx-N144R10, SPDGxxxA-N144R10, xxx=565-595, in steps of 5  
 SPDGxxx-N132R10, SPDGxxxA-N132R10, xxx=520-545, in steps of 5  
 SPDGxxx-N120R10, SPDGxxxA-N120R10, xxx=470-500, in steps of 5  
 SPDGxxx-N108R10, SPDGxxxA-N108R10, xxx=420-450, in steps of 5  
 SPDGxxx-N144RL10, SPDGxxxA-N144RL10, xxx=575-610, in steps of 5  
 SPDGxxx-N132RL10, SPDGxxxA-N132RL10, xxx=530-560, in steps of 5  
 SPDGxxx-N120RL10, SPDGxxxA-N120RL10, xxx=480-510, in steps of 5  
 SPDGxxx-N108RL10, SPDGxxxA-N108RL10, xxx=430-460, in steps of 5  
 SPDGxxx-N144RX10, SPDGxxxA-N144RX10, xxx=600-640, in steps of 5  
 SPDGxxx-N132RX10, SPDGxxxA-N132RX10, xxx=550-590, in steps of 5  
 SPDGxxx-N132R12, SPDGxxxA-N132R12, xxx=575-635, in steps of 5  
 SPDGxxx-N120R12, SPDGxxxA-N120R12, xxx=525-575, in steps of 5  
 SPDGxxx-N108R12, SPDGxxxA-N108R12, xxx=470-520, in steps of 5  
 SPDGxxx-N96R12, SPDGxxxA-N96R12, xxx=420-460, in steps of 5  
 xxx is standing for rated output power at STC

## Parameters:

Construction:	Framed, double glass with Junction box, Cable and Connectors.
Safety Class:	Class II
Maximum System Voltage:	1500 V DC
Fire Safety Class:	Class A or Class C according to UL790

## Tested according to:

EN IEC 61730-1:2018  
 EN IEC 61730-1:2018/AC:2018-06  
 EN IEC 61730-2:2018  
 EN IEC 61730-2:2018/AC:2018-06

Page 2 of 2

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.