



# PV-ezRack Inter and End Clamp Standard 35 and 40 mm

Black Anodized

## - Assembly -



Fixing the framed panel with End Clamp



Fixing the framed panel with Inter Clamp

## - Component -



End Clamp

Part No.: ER-EC-ST35B, ER-EC-ST40B




Inter Clamp

Part No.: ER-IC-ST35B, ER-IC-ST40B

## - Technical Specification -

<b>Application</b>	ER-EC-ST35B is for framed PV Modules of 35-37mm in height(with ECO-Rail and T-Rail); ER-EC-ST40B is for framed PV Modules of 40-42mm in height(with ECO-Rail and T-Rail); ER-IC-ST35B is for framed PV Modules of 29-36mm (with ECO- Rail) /31-36mm(with T-Rail) in height; ER-IC-ST40B is for framed PV Modules of 34-41mm (with ECO- Rail)/36-41mm(with T-Rail) in height;
<b>Requirement</b>	ER-EC-STXXB needs 20mm space on each side of the Rail; ER-IC-STXXB needs 18mm space between PV Modules;
<b>Recommended Torque</b>	16-20N•m
<b>Weight</b>	ER-EC-ST35B: 0.053 Kg; ER-EC-ST40B: 0.055 Kg; ER-IC-ST35B: 0.073Kg; ER-IC-ST40B: 0.075 Kg;
<b>Packaging</b>	ER-EC-STXXB: 60 units per pack, 4 packs (240 units) per carton; ER-IC-STXXB: 45 units per pack, 4 packs (180 units) per carton;
<b>Material</b>	Main Structure: AL6005-T5 Fasteners: SUS 304
<b>Color</b>	Black (full anodized, no less than 10 μm))
<b>Standard</b>	AS NZS1170.2-2011



**PV-ezRack®**  
By Clenergy